

HF RFID Tag (PVC Keyfob Tag)



Part Number :

E H I - KEP 01 - IC01					
(1)	(2)	(3)	(4)	(5)	(6)
(1) Elastic RFIDTech Co.			(4) Item : Keyfob (PVC)		
(2) Frequency : HF			(5) Shape Type NO. (as below)		
(3) Category : Tag			(6) IC Type NO. (as below)		



Description :

The HF (13.56MHz) RFID PVC Keyfob Tag (Transponder) is an RFID inlay embedded in PVC with a keyfob style. The surface is flat and could be printing via offset printing or silk screen. This special design is convenient to carry as a normal keyfob with small dimension, fashion and beautiful style. It's available in various styles, chips for different read range, memory size and write mode depends on the application.

Specifications :

- Frequency : 13.56MHz
- Material : PVC
- Dimension : As below
- Color : White
- Operating Temperature : -10°C to 50°C

Applications :

- Access Control
- Staff identification
- Property Tracking

IC Type NO.	ISO Standard	Memory	Function	IC Type	Supplier
IC01	14443A	512 bits	R / W	Mifare Ultralight	Philips
IC02	14443A	1K bytes	R / W	Mifare S50	Philips
IC03	14443A	4K bytes	R / W	Mifare S70	Philips
IC04	15693	256 bits	R / W	Tag-it™ Pro	Texas Instrument
IC05	15693	1024 bits	R / W	ICODE 2	Philips
IC06	15693	2048 bits	R / W	Tag-it™ Plus	Texas Instrument

